

DTE[®]

DPEX X **MHN**


Precision Beyond Measure

RM



Apexlocator


**New circuit design
mnimized interference**



Sound recognition
audible alerts based on
proximity to the apex

Captable aid on operation

Two sound modes
Adjust volume and mode as you wish



Working time: 7 h | Charging time: 3 h. | Battery: 3,7V / 2.000mAh | Display: 3,8- inch LCD screen

DTE[®]

Large color screen clear and visual display

3,8- inch LCD screen

Magnification to display the apical third

Clinical recomendation:

Measure to the 0.0 position and manually
subtract 0.5~1 mm for the final wrking length



Four working modes

6,2s to reach the maximum pulse
intensity at the quickest

Mode 1: 42,5s

Mode 2: 32s

Mode 3: 24s

Mode 4: 6,2s




Support apical stop reset

The apical stop can be freely set according
to clinical needs.

Reset the display point that is 0.5 mm
from the apex.

Provide warning prompts based on the preset
apical stop.



NEW RELEASE

Added sleep mode & Wake-up automatic

Three Sleep durations available
The device will be woken up upon the
measurement in sleep mode

10 min 20 min 30 min





Comprehensive configuration

Not autoclavable

Measuring wire x1 (Soft texture)


Autoclavable

Tes probe MHN x1

Lip hook x5 (Made of medical-grade stainless steel)

Apexlocatorprobe x2

File clip x4 (Coated with biological silica gel)



+Info



Guilin Woodpecker Medical Instrument Co., Ltd.
Information Industrial Park, Guilin National High-Tech
Zone, Guilin, Guangxi, 541004 P.R. China



Woodpecker Wholesale importer in Spain and Portugal.

RUMAR Cedeira S.L.

C. del Obispo Golfín, 11, Bajo A, 28430 Alpedrete, Madrid

Tlfno.: 91 849 01 04

Tlfno. móvil / Whatsapp: +34 626 327 863

RUMAR guarantees the after-sales service of this product
through its distributors / technical service partners.

Always in stock! Delivery in 24 hours