

DTE®

**3 SECONDS
FOR CURING**
Up to 1600mW/cm²
HIGH INTENSITY



EXPERT IN LED CURING LIGHT !


14 years professional technology,
41 patents, 8 Invention Patents
Global sales over 600,000 units !

LUX E

- Especially suitable to solidify agglomerant of orthodontic bracket, veneer and post.
- Wireless. The battery can be replaced.
- Three working modes: Low, Middle, High.
- Constant light intensity. The solidification effect is not affected by the consumption of remaning power.
- Large capacity battery. A full charge can be used for more than 400 times continuously under 10s working time mode.
- Low standby power consumption with 70 days' standby time.



- Independent LED curing light with protective screen



- Power : 1 200mW/cm² -1600mW/cm²
- With 5 pcs autoclavable deflectors



Power supply: rechargeable Lithium battery
 Battery model: ICR18490
 Battery voltage: 3.7V
 Battery capacity: 1400mAh
 Light source: (1) high power blue light LED
 (2) wave length: 385nm-515nm
 Dimensions: 40mm×50mm×260mm
 Net weight: 147g
 Input of a dapter: AC100V to 240V 50Hz/60Hz
 Type of protection against electric shock: Class
 Degree of protection against electric shock: Type B applied part



Guilin Woodpecker Medical Instrument Co.,Ltd.
Information Industrial Park, Guilin National High-Tech
Zone, Guilin, Guangxi, 541004 P.R. China



Woodpecker Wholesale importer in Spain and Portugal.

RUMAR Cedeira S.L.
C. del Obispo Golfín, 11, Bajo A, 28430 Alpedrete, Madrid
Tlfno.: 91 849 01 04
Tlfno. móvil / Whatsapp: +34 626 327 863

RUMAR guarantees the after-sales service of this product
through its distributors / technical service partners.

Always in stock! Delivery in 24 hours